



RISINGGUITAR LTD.

中联乐器

CHINA OFFICE

 浙江省杭州市余杭区仓前街道余杭塘路2630号
1幢6层602室
ROOM 602, 6F, BUILDING 1, NO. 2630 YUHANGTANG ROAD,
CANGQIAN STREET, YUHANG DISTRICT, HANGZHOU CITY,
ZHEJIANG PROVINCE, CHINA

 0086-571-88617715

US OFFICE

 14661 Jetport Loop, Unit 100, FT. Myers, FL 33913.U.S.A

 (732) 919 - 6200

GUIZHOU FACTORY

 贵州省遵义市新蒲新区经济开发区虾子镇清坪标准厂房一期三号楼
Building 3, Phase I, Qingping Standard Factory, Economic Development Zone,
Xinpu New District, Zunyi City, Guizhou Province

 sales@risingguitar.com

 13967754718

2026 PRODUCT CATALOG

BRIEF INTRODUCTION

Risingguitar is a leading supplier of a broad line of parts and accessories for the guitar, bass, mandolin,banjo, ukulele,and other musical instruments. With a basic line of over 1000 standard products and thousands of variations in finish and material, Risingguitar markets products both domestically and internationally through a network of manufactures' representatives and independent distributors.

Just as the quality of your product depends on the quality of the components inside, Risingguitar quality components begin with quality piece parts. As a vertically-integrated company, we produce most of the components in-house to control quality and delivery. We constantly evaluate and amend our select list of certified suppliers, based upon their ability to consistently deliver quality, value and service to meet our requirements.

We specialize in machine heads, bridges and pickups. With an on-site toolroom and 3D design capability, we can provide the fastest, most efficient response to your project's custom needs. Our Catalog represents only standard product line and capabilities. If you don't see exactly what you need, please ask and we will build it for you.

CONTENTS

01

GUITAR MACHINE
HEADS

11

BASS MACHINE
HEADS

13

CLASSIC MACHINE
HEADS

16

BUTTON &
SHAFT OPTIONS

27

BRIDGES & TAILPIECES

71

HEADLESS BRIDGES

75

PICKUPS

85

ELECTRONICS

93

PICKGUARDS

100

COVERS & PLATES

105

BANJO PARTS

114









MANDOLIN PARTS

125

HARDWARES









GUITAR MACHINE HEADS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
M-1001		Configurations:    Gear Ratio: 15:1 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
M-1003		Configurations:  Gear Ratio: 15:1 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
M-1009		Configurations:  Gear Ratio: 15:1 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
M-1011		Configurations:    Gear Ratio: 15:1 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
M-1184		Configurations:    Gear Ratio: 13:1 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
M-1185		Configurations:    Gear Ratio: 13:1 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
M-1260		Configurations:  Gear Ratio: 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
M-1370		Configurations:  Gear Ratio: 15:1 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	









GUITAR MACHINE HEADS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
New M-1491		Configurations:  Gear Ratio: 13:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
M-1516		Configurations:  Gear Ratio: 15:1 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
New M-1614		Configurations:    Gear Ratio: 15:1 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
M-1709		Configurations:  Gear Ratio: 15:1 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
M-1803S		Configurations:  Gear Ratio: 18:1 21:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
M-1806		Configurations:    Gear Ratio: 18:1 21:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
M-2001		Configurations:    Gear Ratio: 15:1 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
M-2006		Configurations:    Gear Ratio: 15:1 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	







GUITAR MACHINE HEADS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
New M-2102		Configurations:    Gear Ratio: 15:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
New M-2206		Configurations:    Gear Ratio: 18:1 21:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
New M-2289		Configurations:    Gear Ratio: 18:1 21:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
New M-2289SL		Configurations:    Gear Ratio: 18:1 21:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
New M-2301SL		Configurations:    Gear Ratio: 15:1 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
New M-2390		Configurations:    Gear Ratio: 15:1 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
New M-2390SL		Configurations:    Gear Ratio: 15:1 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
New M-2470		Configurations:  Gear Ratio: 15:1 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	









GUITAR MACHINE HEADS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
M-2506		Configurations:    Gear Ratio: 15:1 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
New M-2892S1		Configurations:  Gear Ratio: 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
New M-2901S1		Configurations:    Gear Ratio: 15:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
M-3003		Configurations:  Gear Ratio: 15:1 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
M-3026		Configurations:  Gear Ratio: 15:1 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
M-3173		Configurations:  Gear Ratio: 15:1 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	










GUITAR MACHINE HEADS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
M-3703		Configurations:  Gear Ratio: 15:1 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
M-3803		Configurations:  Gear Ratio: 18:1 21:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
M-3803SH		Configurations:  Gear Ratio: 18:1 21:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
M-4010		Configurations:    Gear Ratio: 15:1 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
M-4101SL		Configurations:    Gear Ratio: 18:1 21:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
New M-4110SH		Configurations:    Gear Ratio: 18:1 21:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
M-4110		Configurations:    Gear Ratio: 18:1 21:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
M-5008		Configurations:    Gear Ratio: 15:1 18:1 Button Options: Refer to Page 16-23 Post Options: Refer to page 25-26	









GUITAR MACHINE HEADS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
M-6009		Configurations:    Gear Ratio: 15:1 18:1 Button Options: Refer to Page 16-23 Post Options: Refer to page 25-26	
M-6109		Configurations:  Gear Ratio: 15:1 18:1 Button Options: Refer to Page 16-23 Post Options: Refer to page 25-26	
M-7034A		Configurations:    Gear Ratio: 15:1 18:1 Button Options: Refer to Page 22-23 Post Options: Refer to page 25-26	
M-7034B		Configurations:    Gear Ratio: 15:1 18:1 Button Options: Refer to Page 22-23 Post Options: Refer to page 25-26	
M-7034C		Configurations:  Gear Ratio: 15:1 18:1 Button Options: Refer to Page 22-23 Post Options: Refer to page 25-26	
New M-7076ASL		Configurations:   Gear Ratio: 15:1 18:1 Button Options: Refer to Page 22-23 Post Options: Refer to page 25-26	
New M-7076BLSL		Configurations:   Gear Ratio: 15:1 18:1 Button Options: Refer to Page 22-23 Post Options: Refer to page 25-26	
New M-7076BRSL		Configurations:   Gear Ratio: 15:1 18:1 Button Options: Refer to Page 22-23 Post Options: Refer to page 25-26	









GUITAR MACHINE HEADS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
New M-7095		Configurations:  Gear Ratio: 15:1 18:1 Button Options: Refer to Page 22-23 Post Options: Refer to page 25-26	
M-7286C		Configurations:  Gear Ratio: 18:1 Button Options: Refer to Page 22-23 Post Options: Refer to page 25-26	
New M-7386		Configurations:  Gear Ratio: 15:1 Button Options: Refer to Page 22-23 Post Options: Refer to page 25-26	
New M-7386S		Configurations:  Gear Ratio: 15:1 Button Options: Refer to Page 22-23 Post Options: Refer to page 25-26	
M-8012		Configurations:   Gear Ratio: 15:1 18:1 Button Options: Refer to Page 16-23 Post Options: Refer to page 25-26	
M-8184		Configurations:  Gear Ratio: 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
New M-8276		Configurations:   Gear Ratio: 15:1 Button Options: Refer to Page 22-23 Post Options: Refer to page 25-26	
New M-8287		Configurations:   Gear Ratio: 15:1 Button Options: Refer to Page 22-23 Post Options: Refer to page 25-26	

GUITAR MACHINE HEADS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
New M-8379		Configurations:  Gear Ratio: 15:1 Button Options: Refer to Page 22-23 Post Options: Refer to page 25-26	
M-8484		Configurations:  Gear Ratio: 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
New M-8484A		Configurations:  Gear Ratio: 18:1 Button Options: Refer to Page 16-22	
M-8547		Configurations:   Gear Ratio: 18:1 Button Options: Refer to Page 22-23 Post Options: Refer to page 25-26	
New M-8684		Configurations:  Gear Ratio: 15:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
M-9022		Configurations:   Gear Ratio: 15:1 18:1 Button Options: Refer to Page 16-23 Post Options: Refer to page 25-26	
M-1A01SH		Configurations:    Gear Ratio: 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
S-1032		Configurations:  Button Options: Refer to Page 16-22	

GUITAR MACHINE HEADS









RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
New M-1804SH1		Configurations: Gear Ratio: 18:1 20:1 22:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
New M-1296SL		Configurations: Gear Ratio: 18:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
New M-4270		Configurations: Gear Ratio: 15:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
New M-2273S		Configurations: Gear Ratio: 18:1 21:1 Button Options: Refer to Page 16-22 Post Options: Refer to page 25-26	
New M-7576ASL		Configurations: Gear Ratio: 15:1 Button Options: Refer to Page 22-23 Post Options: Refer to page 25-26	
New M-7576BSL		Configurations: Gear Ratio: 15:1 Button Options: Refer to Page 22-23 Post Options: Refer to page 25-26	










BASS MACHINE HEADS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
MB-1001		Configurations:    Gear Ratio: 18:1 Button: Refer to Page 24 Post: Refer to page 25-26	
MB-1001B		Configurations:    Gear Ratio: 18:1 Button: Refer to Page 24 Post: Refer to page 25-26	
New MB-1001S		Configurations:    Gear Ratio: 18:1 Button: Refer to Page 24 Post: Refer to page 25-26	
MB-2002		Configurations:    Gear Ratio: 21:1 Button: Refer to Page 24	
MB-3101		Configurations:    Gear Ratio: 21:1 Button: Refer to Page 24 Post: Refer to page 25-26	
New MB-3201		Configurations:    Gear Ratio: 21:1 Button: Refer to Page 24 Post: Refer to page 25-26	
New MB-3288		Configurations:    Gear Ratio: 21:1 Button: Refer to Page 24 Post: Refer to page 25-26	
New MB-3393		Configurations:    Gear Ratio: 20:1 Button: Refer to Page 24	









BASS MACHINE HEADS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
New MB-3494		Configurations:    Gear Ratio: 20:1 Button: Refer to Page 24	
New MB-3494S		Configurations:    Gear Ratio: 20:1 Button: Refer to Page 24	
New MB-3639		Configurations:    Gear Ratio: 26:1	
New MB-372A		Configurations:    Gear Ratio: 28:1 Post: Refer to page 25-26	
MB-5001		Configurations:    Gear Ratio: 21:1 Button: Refer to Page 24	
MB-6001		Configurations:    Gear Ratio: 26:1 Button: Refer to Page 24	
MB-7069		Configurations:    Gear Ratio: 18:1 Button: Refer to Page 24 Post: Refer to page 25-26	









GUITAR MACHINE HEADS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
N-1022		Gear Ratio: 15:1 Button Options: Refer to Page 16-23 Steel Plate	
N-1162C		Gear Ratio: 18:1 Button Options: Refer to Page 16-23 Zinc Casted Plate	
N-1203		Gear Ratio: 15:1 Button Options: Refer to Page 16-23 Zinc Casted Plate	
N-1362C		Gear Ratio: 18:1 Button Options: Refer to Page 16-23 Zinc Casted Plate	
N-1521		Gear Ratio: 15:1 Button Options: Refer to Page 16-23 Steel Plate	
N-1667C		Gear Ratio: 18:1 Button Options: Refer to Page 16-23 Steel Plate	
N-1761C		Gear Ratio: 18:1 Button Options: Refer to Page 16-23 Steel Plate	
N-1861C		Gear Ratio: 18:1 Button Options: Refer to Page 16-23 Steel Plate	






CLASSIC MACHINE HEADS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
N-1962C		Gear Ratio: 18:1 Button Options: Refer to Page 16-23 Steel Plate	
N-2029		Gear Ratio: 15:1 Button Options: Refer to Page 16-23 Steel Plate	
N-2034		Gear Ratio: 15:1 Button Options: Refer to Page 16-23 Steel Plate	
N-2147		Gear Ratio: 15:1 Button Options: Refer to Page 16-23 Steel Plate	
N-3022		Gear Ratio: 15:1 Button Options: Refer to Page 16-23 Steel Plate	
N-5027		Gear Ratio: 15:1 Button Options: Refer to Page 16-23 Steel Plate	
N-6028		Gear Ratio: 15:1 Button Options: Refer to Page 16-23 Zinc Casted Plate	
N-7061C		Gear Ratio: 18:1 Button Options: Refer to Page 16-23 Zinc Casted Plate	









CLASSIC MACHINE HEADS

RISINGGUITAR









MODEL	PICTURE	DETAILS	DRAWINGS
N-7161C		Gear Ratio: 18:1 Button Options: Refer to Page 16-23 Zinc Casted Plate	
N-7268		Gear Ratio: 15:1 Button Options: Refer to Page 16-23 Steel Plate	
N-8034		Gear Ratio: 15:1 Button Options: Refer to Page 16-23 Steel Plate	
N-9005		Gear Ratio: 15:1 Button Options: Refer to Page 16-23 Steel Plate	
New N-221A		Gear Ratio: 14:1 Button Options: Refer to Page 16-23 Steel Plate	

BUTTON&SHAFT OPTIONS









RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
B-01		Material:Zinc	
B-02		Material:Zinc	
B-03		Material:Zinc	
B-04		Material:Zinc	
B-05		Material:ABS	
B-06		Material:Zinc	
B-08		Material:Zinc	
B-09		Material: Zinc	








BUTTON&SHAFT OPTIONS

RISINGGUITAR			
MODEL	PICTURE	DETAILS	DRAWINGS
B-10		Material: Zinc	
B-11		Material: ABS	
B-12		Material: ABS	
B-14		Material: ABS	
B-16		Material: ABS	
B-21		Material: ABS	
B-22		Material: ABS	
B-23		Material: ABS	









BUTTON&SHAFT OPTIONS

RISINGGUITAR			
MODEL	PICTURE	DETAILS	DRAWINGS
B-24		Material: ABS	
B-25		Material: ABS	
B-26		Material: ABS	
B-27		Material: ABS	
B-28		Material: ABS	
B-29		Material: ABS	
B-32		Material: ABS	
B-45		Material: ABS	

BUTTON&SHAFT OPTIONS









RISINGGUITAR			
MODEL	PICTURE	DETAILS	DRAWINGS
B-46		Material: ABS	
B-47		Material: ABS	
B-48		Material: ABS	
B-50		Material: ABS	
B-52		Material: ABS	
B-53		Material: ABS	
B-54		Material: ABS	
B-56		Material: ABS	

BUTTON&SHAFT OPTIONS

RISINGGUITAR			
MODEL	PICTURE	DETAILS	DRAWINGS
B-59		Material: ABS	
B-60		Material: ABS	
B-61		Material: ABS	
B-62		Material: ABS	
B-64		Material: ABS	
B-65		Material: ABS	
B-66		Material: ABS	
B-67		Material: ABS	








BUTTON&SHAFT OPTIONS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
B-68		Material: ABS	
B-70		Material: Zinc	
B-72		Material: ABS	
B-73		Material: Zinc	
New B-75		Material: ABS	
B-80		Material: ABS	
New B-84		Material: Zinc	
New B-85		Material: Zinc	

BUTTON&SHAFT OPTIONS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
New B-89		Material: Zinc	
New B-90		Material: Zinc	
New B-96		Material: Zinc	
New B-31		Material: ABS	
B-34		Material: ABS	
B-40		Material: ABS	
B-41		Material: ABS	

BUTTON&SHAFT OPTIONS

RISINGGUITAR			
MODEL	PICTURE	DETAILS	DRAWINGS
B-74		Material: ABS	
B-76		Material: Zinc	
B-78		Material: Zinc	
B-79		Material: Zinc	
New B-86		Material: ABS	
B-87		Material: ABS	
New B-95		Material: Zinc	
New B-98		Material: Zinc	

BUTTON&SHAFT OPTIONS

RISINGGUITAR			
MODEL	PICTURE	DETAILS	DRAWINGS
B-33		Material: ABS	
B-35		Material: Zinc	
B-36		Material: Zinc	
B-37		Material: Zinc	
B-69		Material: Zinc	
New B-94		Material: Zinc	

BUTTON&SHAFT OPTIONS





RISINGGUITAR			
MODEL	PICTURE	DETAILS	DRAWINGS
ZG-P01-01		Type: Non-Locking	
ZG-P02-01		Type: Non-Locking Available in: 25mm, 27mm, 29mm,29.5mm, 30.3mm, 31.3mm, 31.7mm	
ZG-P02-06		Type: Non-Locking	
ZG-P02-12		Type: Non-Locking	
ZG-P02-13		Type: Non-Locking	
ZG-P03-01		Type: Non-Locking Available in: 31mm, 32mm	
ZG-P04-01		Type: Non-Locking	
ZG-P05-01		Type: Non-Locking Available in: 30.6mm	

BUTTON&SHAFT OPTIONS

RISINGGUITAR			
MODEL	PICTURE	DETAILS	DRAWINGS
ZG-P06-06A		Type: Locking Available in: 32.2mm, 32.4mm, 34.4mm, 36.4mm, 38.3mm	
ZG-P06-07		Type: Locking Available in: 34.8mm	
ZG-P07-01		Type: Non-Locking Available in: 31.4mm	
ZG-P08-01		Type: Non-Locking	
ZG-P08-02A		Type: Non-Locking	
ZG-P08-04		Type: Non-Locking	
ZG-P09-04		Type: Locking	





BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BK-1		Zinc saddle 6-String String spacing: 10.4mm	
BK-2		Zinc saddle 6-String String spacing: 10.3mm	
BK-3		Zinc saddle 6-String String spacing: 10.4mm	
BK-4		Zinc saddle 6-String String spacing: 10mm	





BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BK-5		Zinc saddle 6-String String spacing: 10.4mm	
BK-6		Zinc 6-String String spacing: 10.5mm	
BK-7		Zinc saddle 12-String String spacing: 10.4mm	
BK-8		Zinc saddle 4-String String spacing: 18mm	






BRIDGE&TAILPIECE





RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BK-10		Zinc saddle 7-String String spacing: 10.5mm	
BK-13		Zinc 6-String String spacing: 10.3mm	
BK-14		Zinc saddle 8-String String spacing: 10.5mm	
BK-15		Zinc saddle 6-String String spacing: 10.5mm	

BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BK-16		Aluminum saddle 6-String String spacing: 10.6mm	
New BK-17		Zinc saddle 6-String String spacing: 10.5mm	
New BK-18		Aluminum 6-String String spacing: 10.2mm	
New BK-19		Zinc saddle 6-String String spacing: 10.4mm	

MODEL	PICTURE	DETAILS	DRAWINGS
New BK-20		Zinc saddle 6-String String spacing: 10mm	
New BK-21	 License Required	Zinc 6-String String spacing: 10.3mm	
New BK-22		Zinc 12-String String spacing: 10.4mm	
New BK-24		Zinc 6-String String spacing: 10.5mm	

MATERIAL AT YOUR CHOICE

APPLIES TO ALL OUR BRIDGE PRODUCTS

Block Material Options:
Zinc, Brass, Steel, Aluminum

Base Plate Material Options:
Brass, Steel, Stainless Steel, Aluminum

Saddle Material Options:
Zinc, Brass, Steel, Stainless Steel, Aluminum

MODEL	PICTURE	DETAILS	DRAWINGS
BG-1001-A		Zinc saddle 6-String String spacing: 10.5mm	
BG-1002-A		Zinc saddle 6-String String spacing: 10.5mm	
BG-1003-B		Zinc saddle 6-String String spacing: 10.5mm	
BG-1004-A		Zinc saddle 6-String String spacing: 10.5mm	

MODEL	PICTURE	DETAILS	DRAWINGS
BG-1005-B		Zinc saddle 6-String String spacing: 10.5mm	
BG-1006-A		Zinc saddle 6-String String spacing: 10.8mm	
BG-1007-F		Zinc saddle 6-String String spacing: 10.5mm	
BG-1009-D		Zinc saddle 6-String String spacing: 10.5mm	

MODEL	PICTURE	DETAILS	DRAWINGS
New BG-1010		Zinc saddle 6-String String spacing: 10.8mm	
BG-1011-A	 License Required	Zinc saddle 6-String String spacing: 10.5mm	
New BG-1013		Zinc saddle 6-String String spacing: 10.8mm	
New BG-1013A		Zinc saddle 6-String String spacing: 10.8mm	

MODEL	PICTURE	DETAILS	DRAWINGS
New BG-1013B		Zinc saddle 6-String String spacing: 10.8mm	
New BG-1014		Block Height: 28mm, 32mm 34mm, 37mm 42mm	
New BG-1019		Zinc saddle 6-String String spacing: 10.8mm	
New BG-1019A		Zinc saddle 6-String String spacing: 10.8mm	

BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
New BG-1022		Zinc saddle 6-String String spacing: 10mm	
New BG-1023		Zinc saddle 6-String String spacing: 9.5mm	
New BG-1024	 License Required	Power injection saddle 6-String String spacing: 10.57mm	
BG-1011		Type: Screw In Diameter: 5.0mm	









TREMOLO ARM

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
A-01		Type: Screw In Diameter: 6.0mm	
A-02		Type: Push In Diameter: 6.0mm	
A-03		Type: Push In Diameter: 5.2mm	
A-04		Type: Push In Diameter: 5.0mm	
A-05		Type: Screw In Diameter: 5.2mm	
A-06		Type: Push In Diameter: 5.0mm	
FR-OS		Type: Screw In Diameter: 6.0mm	
FR-PA		Type: Push In Diameter: 6.0mm	









SADDLE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
A		Material: Zinc	
B		Material: Steel	
C		Material: Zinc	
D		Material: Zinc	
E		Material: Zinc	
HZ-03		Material: Zinc	
HZ-04		Material: Zinc	
HZ-07		Material: Zinc	








SADDLE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
HZ-08		Material: Zinc	
HZ-19		Material: Zinc	
HZ-27		Material: Steel	
HZ-28		Material: Zinc	
HZ-31		Material: Steel	
HZ-34		Material: Zinc	
HZ-36		Material: Zinc	
HZ-37		Material: Zinc	


SADDLE






RISINGGUITAR







MODEL	PICTURE	DETAILS	DRAWINGS
HZ-44		Material: Zinc	
HZ-45		Material: Zinc	
HZ-46		Material: Steel	
HZ-49		Material: Zinc	
HZ-52		Material: Zinc	
HZ-55		Material: Zinc	
HZ-59	 License Required	Material: Brass/Stainless Steel	
HZ-61		Material: Steel	

SADDLE

RISINGGUITAR






MODEL	PICTURE	DETAILS	DRAWINGS
HZ-66		Material: Zinc	

MODEL	PICTURE	DETAILS	DRAWINGS
FRTS1000		Block Height: 28mm, 32mm 34mm, 36mm 37mm, 42mm	
FRTS1000S		Block Height: 28mm, 32mm 34mm, 36mm 37mm, 42mm	
FRTS1100		Block Height: 28mm, 32mm 34mm, 36mm 37mm, 42mm	
FRTS2000		Block Height: 28mm, 32mm 34mm, 36mm 37mm, 42mm	

MODEL	PICTURE	DETAILS	DRAWINGS
FRTS2000S		Block Height: 28mm, 32mm 34mm, 36mm 37mm, 42mm	
FRTS3000		Block Height: 28mm, 32mm 34mm, 36mm 37mm, 42mm	
FRTS3000S		Block Height: 28mm, 32mm 34mm, 36mm 37mm, 42mm	
FRTS4000		Block Height: 28mm, 32mm 34mm, 36mm 37mm, 42mm	





BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
FRTS5000		Block Height: 28mm, 32mm 34mm, 36mm 37mm,42mm	
FRTS6000		Block Height: 28mm, 32mm 34mm, 36mm 37mm,42mm	
FRTS7000		Block Height: 28mm, 32mm 34mm, 36mm 37mm,42mm	
FRTS9000		Block Height: 28mm, 32mm 34mm, 36mm 37mm,42mm	







BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
FRTSS6000		Block Height: 28mm, 32mm 34mm, 36mm 37mm,42mm 7 Strings	
FRTSSS1000		Block Height: 28mm, 32mm 34mm, 36mm 37mm,42mm 7 Strings	
FRTSSS1000S		Block Height: 28mm, 32mm 34mm, 36mm 37mm,42mm 7 Strings	
FRTSSS2000		Block Height: 28mm, 32mm 34mm, 36mm 37mm,42mm 7 Strings	







BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
FRTSSS2000S		Block Height: 28mm, 32mm 34mm, 36mm 37mm, 42mm 7 Strings	
FRTSSS3000		Block Height: 28mm, 32mm 34mm, 36mm 37mm, 42mm 7 Strings	
FRTSSS3000S		Block Height: 28mm, 32mm 34mm, 36mm 37mm, 42mm 7 Strings	
FRTSSS4000		Block Height: 28mm, 32mm 34mm, 36mm 37mm, 42mm 7 Strings	





BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
FRTSSS5000		Block Height: 28mm, 32mm 34mm, 36mm 37mm, 42mm 7 Strings	
FRTSSS6000		Block Height: 28mm, 32mm 34mm, 36mm 37mm, 42mm 7 Strings	
FRTSSS7000		Block Height: 28mm, 32mm 34mm, 36mm 37mm, 42mm 7 Strings	
New FRTES2		-	





BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BE-1001		6-String String spacing: 10.5mm	
BE-1002		12-String String spacing: 10.5mm	
BG-3001		6-String String spacing: 10mm	
BG-3002		Zinc saddle 6-String String spacing: 10.8mm	





BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BG-3003		Zinc saddle String spacing: 10.8mm	
New BG-3005		6-String String spacing: 10mm	
New BG-3006		Zinc saddle 7-String String spacing: 10.6mm	
New BG-3007		Zinc saddle 6-String String spacing: 10.6mm	





BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BG-6001		6-String String spacing: 10mm	
BG-6002		6-String String spacing: 9.8mm	
BG-6003		6-String 4-String String spacing 10mm 18mm	
BG-6004		6-String String spacing: 10mm	

BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
New BG-6004A		6-String String spacing: 10mm	
New BG-6005		6-String String spacing: 10mm	
BG-6006		6-String	
BG-6007		6-String String spacing: 10mm	

MODEL	PICTURE	DETAILS	DRAWINGS
BG-6008		6-String String spacing: 10mm	
BG-6010		Material: Steel	
BG-6011		6-String String spacing: 10mm	
New BG-6012		6-String String spacing: 10mm	

RISINGGUITAR			
MODEL	PICTURE	DETAILS	DRAWINGS
BG-6013		6-String String spacing: 10.3mm	
New BG-6016		6-String String spacing: 10mm	
BK-9		6-String String spacing: 10mm	
BG-5001		Steel saddle 6-String String spacing: 10.5mm	

BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BG-5001B		Zinc saddle 6-String String spacing: 10.8mm	
BG-5001C		Zinc saddle 6-String String spacing: 10.8mm	
BG-5002		Zinc saddle 6-String String spacing: 10.8mm	
New BG-5002A		Zinc saddle 6-String String spacing: 10.8mm	





BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BG-5003		Zinc saddle 6-String String spacing: 10.8mm	
New BG-5004		Zinc saddle 6-String String spacing: 10.8mm	
BG-5005		6-String String spacing: 10.8mm	
New BG-5006		Zinc saddle 6-String String spacing: 10.8mm	





BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BG-2001C-A		Zinc saddle 6-String String spacing: 10.5mm	
BG-2001A-E		Zinc saddle 6-String String spacing: 10mm	
BG-2002-D		Zinc saddle 6-String String spacing: 10.5mm	
BG-2003-A		Zinc saddle 6-String String spacing: 10.5mm	

BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BG-2004		Zinc saddle 6-String String spacing: 10.5mm	
BG-2005		Zinc saddle 6-String String spacing: 10.5mm	
New BG-2006		Zinc saddle 6-String String spacing: 10.5mm	
New BG-2007		Zinc saddle 6-String String spacing: 10.8mm	

BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BG-3004		Zinc saddle 6-String String spacing: 10.4mm	
BG-3004A		Zinc saddle 6-String String spacing: 10.4mm	
New BG-3004B		Zinc saddle 6-String String spacing: 10.4mm	
BA-3003		Zinc saddle 8-String String spacing: 10.5mm	

BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BA-3004		Zinc saddle 7-String String spacing: 10.5mm	
BA-3005		Zinc saddle 8-String String spacing: 10.5mm	
BA-3006		Zinc saddle 7-String String spacing: 10.8mm	
BA-3007		Zinc saddle 6-String String spacing: 10.5mm	

BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BA-1001		Steel saddle 4-String String spacing: 19mm	
BA-1002		Steel saddle 4-String String spacing: 20mm	
BA-1003		Zinc saddle 4-String String spacing: 20mm	
BA-1004		Zinc saddle 4-String String spacing: 18mm	

BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BA-1005		Zinc saddle 4-String String spacing: 19mm	
BA-1006		Zinc saddle 4-String String spacing: 20mm	
New BG-6017		6-String String spacing: 11.07mm License Required	
New BG-6017		locking 6-String String spacing: 11.07mm License Required	

BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BA-1007		Steel saddle 4-String String spacing: 19mm	
BA-1008		Zinc saddle 4-String String spacing: 19mm	
BA-1009		Steel saddle 4-String String spacing: 19mm	
BA-1010		Zinc saddle 4-String String spacing: 19mm	

BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BA-1011		Zinc saddle 4-String String spacing: 19mm	
BA-1012		Zinc saddle 4-String String spacing: 19mm	
New BA-1013		Zinc saddle 4-String String spacing: 19mm	
BA-1014		Steel saddle 4-String String spacing: 19mm	

MODEL	PICTURE	DETAILS	DRAWINGS
BA-1015		Zinc saddle 4-String String spacing: 20mm	
BA-1016		Zinc saddle 4-String String spacing: 18mm	
BA-1017		Zinc saddle 4-String String spacing: 20mm	
New BA-1018		Zinc saddle 4-String String spacing: 19mm	

MODEL	PICTURE	DETAILS	DRAWINGS
BA-1019		Zinc saddle	
New BA-1022		Zinc saddle 4-String String spacing: 19mm License Required	
New BA-1024		Zinc saddle 4-String String spacing: 17.5mm	
New BA-1025		Zinc saddle 4-String String spacing: 20mm	

BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BA-2001		Steel saddle 5-String String spacing: 17mm	
BA-2002		Zinc saddle 5-String String spacing: 16.5mm	
BA-2003		Zinc saddle 5-String String spacing: 17mm	
BA-2004		Steel saddle 5-String String spacing: 17mm	

BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BA-2005		Zinc saddle 5-String String spacing: 16.5mm	
BA-2006		Zinc saddle 5-String String spacing: 19mm	
BA-2007		Zinc saddle 5-String String spacing: 19mm	
New BA-2008		Zinc saddle 5-String String spacing: 16.5mm	

BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BA-2009		Steel saddle 5-String String spacing: 16mm	
BA-2010		Zinc saddle 5-String String spacing: 15mm	
New BA-2012		Zinc saddle 5-String String spacing: 19mm	
New BA-2012A	 License Required	Zinc saddle 5-String String spacing: 17mm	





BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BA-3001		Zinc saddle 6-String String spacing: 15.6mm	
New BA-3002		Zinc saddle 6-String String spacing: 16.5mm	
BA-3011	 License Required	Zinc saddle 4-String String spacing: 10.4mm	
New BG-2008		Zinc saddle 6-String String spacing: 10.5mm	





HEADLESS BRIDGES

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
W-1001		String Spacing: 10.4mm Saddle: Zinc	
W-1002		String Spacing: 10.3mm Saddle: Zinc	
W-1003		String Spacing: 10.4mm Saddle: Zinc	
W-1004		String Spacing: 12.7mm Saddle: Zinc	





HEADLESS BRIDGES

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
W-1005		String Spacing: 10.8mm	
W-1016		String Spacing: 10.6mm Saddle: Zinc	
W-1017		String Spacing: 10.4mm Saddle: Zinc	
New W-1018		String Spacing: 10.6mm Saddle: Zinc	





HEADLESS BRIDGES

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
New W-1019		String Spacing: 10.6mm Saddle: Zinc	
W-2004		String Spacing: 10.6mm Saddle: Zinc	
New W-2005		String Spacing: 10.6mm Saddle: Zinc	
New W-3001		String Spacing: 10.5mm Saddle: Zinc	







HEADLESS BRIDGES

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
New W-3002		String Spacing: 10.5mm Saddle: Zinc	
WB-1001		String Spacing: 20mm Saddle: Zinc	
WB-1004		String Spacing: 20mm Saddle: Zinc	
WB-1005		String Spacing: 16.1mm Saddle: Zinc	

PICKUPS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
P-1001		7.1K ohm 2.0H Ceramic gloss / satin	
P-1003		7.1K ohm 2.0H Ceramic gloss / satin	
P-1004		6.5K ohm 3.0H Ceramic gloss / satin	
P-1005		6.5K ohm 3.0H Ceramic gloss / satin	
P-1006		6.5K ohm 3.0H Ceramic gloss / satin	
P-1007		6.45K ohm 2.4H Ceramic satin	

CUSTOMIZE OPTIONS

Wire Gauge options: AWG 41-44







Wire Coating options: Plain Enamel (PE) Polyurethane (P) Polyurethane Nylon (PN) Formvar (F)

Winding Turns options: Customizable.

Megnets options: Ceramic or Alnico II, III, V

PICKUPS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
P-1008		6.1K ohm 3.6H Ceramic gloss	
P-1009		8.71K ohm 5.98H Ceramic gloss	
P-1011		9.6K ohm 5.13H Ceramic satin	
P-1012		13.28K ohm 5.7H Ceramic satin	
P-1013		5.7K ohm 3.56H Ceramic satin	
P-1015		7.32K ohm 2.49H ALNICO gloss	

CUSTOMIZE OPTIONS

Wire Gauge options: AWG 41-44








Wire Coating options: Plain Enamel (PE) Polyurethane (P) Polyurethane Nylon (PN) Formvar (F)

Winding Turns options: Customizable.

Megnets options: Ceramic or Alnico II, III, V

PICKUPS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
P-1016		6.73K ohm 5.6H ALNICO gloss	
P-1017		6.85K ohm 3.32H ALNICO matte	
P-1018		3.77K ohm 1.75H Ceramic satin	
P-1019		4.7K ohm 1.15H Ceramic gloss	
New P-1020		9.6K ohm 5.13H Ceramic gloss	
New P-1021		6K ohm 3.2H Ceramic gloss	
P-KD10		4.4K ohm 1.1H ALNICO 2,3,5 satin	

CUSTOMIZE OPTIONS

Wire Gauge options: AWG 41-44








Wire Coating options: Plain Enamel (PE) Polyurethane (P) Polyurethane Nylon (PN) Formvar (F)

Winding Turns options: Customizable.

Megnets options: Ceramic or Alnico II, III, V

PICKUPS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
P-2001		9.2K ohm 4.3H Ceramic gloss / matte / satin	
P-2002		9.2K ohm 4.3H Ceramic gloss / matte / satin	
P-2003		9.2K ohm 4.3H Ceramic gloss / matte / satin	
P-2004		9.2K ohm 4.3H Ceramic gloss / matte / satin	
P-2005		9.2K ohm 4.3H Ceramic gloss / matte / satin	
P-2006		9.2K ohm 4.3H Ceramic gloss / matte / satin	
P-2009		14.45K ohm 5.31H Ceramic satin	

CUSTOMIZE OPTIONS

Wire Gauge options: AWG 41-44








Wire Coating options: Plain Enamel (PE) Polyurethane (P) Polyurethane Nylon (PN) Formvar (F)

Winding Turns options: Customizable.

Megnets options: Ceramic or Alnico II, III, V

PICKUPS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
P-2010		17K ohm 8.03H Ceramic gloss / matte / satin slot magnet rod or flat magnet rod	
P-2011		17.5K ohm 8.38H Ceramic gloss / matte / satin slot magnet rod or flat magnet rod	
P-2012		9.0K ohm 5.14H Ceramic gloss / matte / satin	
P-2013		14K ohm 7.21H Ceramic gloss / matte / satin	
P-KD20		6.68K ohm 0.85H ALNICO 2,3,5 satin	
P-3001		9.2K ohm 4.3H Ceramic satin	
P-3002		8.5K ohm 3.5H Ceramic gloss / matte	

CUSTOMIZE OPTIONS

Wire Gauge options: AWG 41-44








Wire Coating options: Plain Enamel (PE) Polyurethane (P) Polyurethane Nylon (PN) Formvar (F)

Winding Turns options: Customizable.

Megnets options: Ceramic or Alnico II, III, V

PICKUPS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
P-3003		10.2K ohm 3.3H Ceramic gloss / matte	
P-3004		10.2K ohm 3.3H Ceramic gloss / matte	
P-3005		9.1K ohm 3.1H Ceramic gloss / matte	
P-3006		14.19K ohm 6.5H Ceramic gloss / matte	
P-3007		14.19K ohm 6.5H Ceramic gloss / matte	
New P-3009		6.85K ohm 3.32H Ceramic gloss / matte	
New P-3010B	 License Required	7.5K ohm 3.7H Ceramic gloss / matte	

CUSTOMIZE OPTIONS

Wire Gauge options: AWG 41-44








Wire Coating options: Plain Enamel (PE) Polyurethane (P) Polyurethane Nylon (PN) Formvar (F)

Winding Turns options: Customizable.

Megnets options: Ceramic or Alnico II, III, V

PICKUPS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
New P-3010N	 License Required	5.5K ohm 2.6H Ceramic gloss / matte	
New P-KD30		6.49K ohm 3.0H ALNICO 2,3,5 satin	
New P-KD40		14K ohm 7.21H ALNICO 2,3,5 satin	
PB-1001		8.47K ohm 3.9H Ceramic satin	
PB-1002		8.47K ohm 3.9H Ceramic satin	
PB-1003		8.47K ohm 3.9H Ceramic satin	
PB-1004		9.80K ohm 3.9H Ceramic satin	

CUSTOMIZE OPTIONS

Wire Gauge options: AWG 41-44








Wire Coating options: Plain Enamel (PE) Polyurethane (P) Polyurethane Nylon (PN) Formvar (F)

Winding Turns options: Customizable.

Megnets options: Ceramic or Alnico II, III, V

PICKUPS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
PB-2001		6.24K ohm 4.46H ALNICO 2,3,5 satin	
PB-2002		6.24K ohm 4.46H Ceramic satin	
PB-2003		8.9K ohm 4.8H Ceramic satin	
PB-2004		8.9K ohm 4.8H Ceramic satin	
PK-3001		9.5K ohm 1.56H Ceramic satin	
PK-3002		9.1K ohm 1.61H Ceramic satin	
PK-3003		7.6K ohm 1.31H Ceramic satin	

CUSTOMIZE OPTIONS

Wire Gauge options: AWG 41-44








Wire Coating options: Plain Enamel (PE) Polyurethane (P) Polyurethane Nylon (PN) Formvar (F)

Winding Turns options: Customizable.

Megnets options: Ceramic or Alnico II, III, V

PICKUPS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
PK-3004		7.9K ohm 1.2H Ceramic satin	
PK-5001		7.8K ohm 3.5H Ceramic satin	
PK-5002		7.8K ohm 3.5H Ceramic satin	
PK-5003		9.03K ohm 3.8H Ceramic satin	
PK-5004		9.03K ohm 3.8H Ceramic satin	
PK-5005		9.8K ohm 4.2H Ceramic satin	
PK-5006		9.8K ohm 4.2H Ceramic satin	

CUSTOMIZE OPTIONS

Wire Gauge options: AWG 41-44







Wire Coating options: Plain Enamel (PE) Polyurethane (P) Polyurethane Nylon (PN) Formvar (F)

Winding Turns options: Customizable.

Megnets options: Ceramic or Alnico II, III, V

PICKUPS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
PK-5007		14K ohm 6.45H Ceramic satin	
PK-5008		14K ohm 6.45H Ceramic satin	
PK-5009		12K ohm 7H Ceramic satin	
PK-5010		1.93K ohm 1.14H Ceramic satin	
GT-10		For Acoustic Guitars	
GT-20		For Acoustic Guitars	









CUSTOMIZE OPTIONS




Wire Gauge options: AWG 41-44

Wire Coating options: Plain Enamel (PE) Polyurethane (P) Polyurethane Nylon (PN) Formvar (F)

Winding Turns options: Customizable.









Megnets options: Ceramic or Alnico II, III, V



MODEL	PICTURE	DETAILS	DRAWINGS
QT-1001		A250K, B250K, A500K, B500K	
QT-1002		A250K, B250K, A500K, B500K A25K, C250K, C500K, B25K	
QT-1003		A250K, B250K, A500K, B500K A1000K, A100K, A25K, A50K B100K, B25K, B50K, C500K	
QT-1004		A250K, B250K, A500K, B500K Shaft Length: 15mm 18mm 20mm	
QT-1005		A250K, B250K, A500K, B500K Shaft Length: 15mm 18mm	
QT-1008		A10K, A250K, B250K, A500K, B500K	
QT-1016		A500K, B500K	
QT-1018		A25K, B25K, A500K, B500K	









MODEL	PICTURE	DETAILS	DRAWINGS
QT-2002		A250K, B250K, A500K, B500K	
QT-2003		A250K, B250K, A500K, B500K	
QT-2004		A250K, B250K, A500K, B500K	



MODEL	PICTURE	MODEL	PICTURE
1 POT CIRCUITS		2 POTS CIRCUITS	
2 POTS+1 SWITCH CIRCUITS		3 POTS CIRCUITS	
3 POTS+1 JACK CIRCUITS		4 POTS CIRCUITS	
4 POTS+1 SWITCH CIRCUITS			

Pots & Wire Length are customizable.

MODEL	PICTURE	DRAWINGS
KA-1001		
KA-1002		
KA-1003		
KA-1004		
KA-1005		
KA-1006		
KA-1007		
KA-1009		

MODEL	PICTURE	PICTURE
KA-1011		
KA-1012		

MODEL	PICTURE	DETAILS	DRAWINGS
KG-1001-3A		3-WAY	
KG-1002-5B		5-WAY	
KG-1003-3B		3-WAY	
KG-1003-5B		5-WAY	
KG-1004-3B		3-WAY	
KG-1004-5A		5-WAY	
KG-1005B		3-WAY	
KG-1006		3-WAY	

MODEL	PICTURE	DETAILS	DRAWINGS
KG-1007		3-WAY	
KG-1008		2-WAY	



PICKGUARDS







RISINGGUITAR

MODEL	PICTURE	MODEL	PICTURE
XL-1001		XL-1002	
XL-1003		XL-1004	
XL-1005		XL-1006	
XL-1007		XL-1008	
XL-1010		XL-1011	
XL-1012		XL-1014	
XL-1015		XL-1024	
XL-2001		XL-2002	

PICKGUARDS

RISINGGUITAR

MODEL	PICTURE	MODEL	PICTURE
XL-2003		XL-3063	
XL-2004		XL-3068	
XL-2007		XL-3071	
XL-3032		XL-3074	
XL-3033		XL-3083	
XL-3035		XL-3096	
XL-3036		XL-3099	
XL-3054			

MODEL	PICTURE	DRAWINGS
H-1001		
H-1002		
H-1003		
H-1004		
H-1006		
H-1007		

MODEL	PICTURE	DRAWINGS
H-1008		
H-1010		
H-1011		
H-1012		
H-1013		
H-1014		

PICKGUARDS

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
H-1015		
H-2001		
H-2002		
H-2003		
H-2004		
H-2005		





PICKGUARDS

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
H-2006		
H-2007		
H-3001		
H-3002		
H-3003		
H-3004		

















PICKGUARDS

RISINGGUITAR


















MODEL	PICTURE	DRAWINGS
H-3011		
H-3013		
H-3014		
H-3018		

COVERS&PLATES

RISINGGUITAR

MODEL	PICTURE	DRAWINGS	MODEL	PICTURE	DRAWINGS
HA-1001			HA-1009		
HA-1002			HA-1010		
HA-1003			HA-2002		
HA-1004			HA-2003		
HA-1005			HA-2006		
HA-1006			HA-2009		
HA-1007			HA-2012		
HA-1008			HA-2013		

MODEL		PICTURE	DRAWINGS	MODEL		PICTURE	DRAWINGS
HA-2015				HB-1001			
HA-2020				HB-1002			
New HA-2041				HB-1003			
New HA-2046				New HB-1004			
New HA-2047							
New HA-2049							
New HA-2050							
New HA-2051							









MODEL		PICTURE		DRAWINGS		MODEL		PICTURE		DRAWINGS	
HC-1001				HC-1011							
HC-1002				HC-1012							
HC-1003				HC-1013							
HC-1004				HC-1014							
HC-1005				HC-1015							
HC-1006				HC-1016							
HC-1007				HC-1017							
HC-1010				HC-1018							

103 | WWW.RISINGGUITAR.COM

WWW.RISINGGUITAR.COM | 104









BANJO PARTS

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
BJ-001		
BJ-002		
BJ-003		
BJ-004		
BJ-005		
BJ-006		
BJ-007		
BJ-008		









BANJO PARTS

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
New BJ-008B		
BJ-009		
BJ-010		
BJ-011		
BJ-012		
BJ-013		
BJ-014		
BJ-015		









BANJO PARTS

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
BJ-016		
BJ-017A		
BJ-017B		
BJ-019		
BJ-201		
BJ-202		
BJ-203		
BJ-204		









BANJO PARTS

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
New BJ-204B		
BJ-205		
BJ-206		
BJ-207		
BJ-208B		
BJ-209		
BJ-210		
BJ-211		









BANJO PARTS

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
BJ-212		
BJ-213		
BJ-215		
BJ-216		
BJ-217		
BJ-219		
BJ-220		
BJ-220B		









BANJO PARTS

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
BJ-221		
BJ-222		
BJ-223		
BJ-224		
BJ-225		
BJ-225B		
New BJ-225C		
BJ-226		









BANJO PARTS

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
New BJ-227		
BJ-228		
BJ-231		
BJ-232		
BJ-233		
BJ-234		
BJ-235		
BJ-236		

BANJO PARTS

RISINGGUITAR




MODEL	PICTURE	DRAWINGS
BJ-236A		
BJ-237		
BJ-238		
BJ-239		
New BJ-240		
BJ-241		
BJ-242		
BJ-243		

113 | WWW.RISINGGUITAR.COM

WWW.RISINGGUITAR.COM | 114








MANDOLIN PARTS

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
TE-001		
TE-002		
TE-003		



MANDOLIN PARTS

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
TB-001		
TB-002		
TB-003		
TB-004		
TB-005-8		
TB-005-10		
TB-006		
TB-007		









MANDOLIN PARTS

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
TB-008		
TB-009		


MANDOLIN PARTS

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
TJ-001		
TJ-002		
TJ-003		
TJ-004		
TJ-005		
TJ-006		
TJ-007		
TJ-008		






MANDOLIN PARTS

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
TJ-010		









MANDOLIN PARTS

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
TL-001		
TL-002		
TL-003		
TL-004		
TL-005		






MANDOLIN PARTS

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
TH-001		
TH-002		
TH-003		
TH-004		
TH-005		
TH-006		
TH-007		
TH-008		






MANDOLIN PARTS

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
TH-009		
TH-010		
TH-011		
TH-012		
TH-013		
New TH-014		
New TH-016		
New TH-017		


MANDOLIN PARTS

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
New TH-018		
New TH-019		
New TH-020		
New TH-022		
New TH-023		









MANDOLIN PARTS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
TZ-001		Material: PPS	
TZ-002		Material: PPS	









HARDWARES

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
F-1001		
F-1002		
F-1003		
F-1004		
F-1005		
F-1006		
F-1007		
F-1008		









HARDWARES

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
F-1009		
F-1010		
New F-1011		
New F-1012		
F-1013		
F-1014		
F-1015		
New F-1016		









HARDWARES

RISINGGUITAR









MODEL	PICTURE	DRAWINGS
HJ-1001		
HJ-1002		
HJ-1003		
HJ-1005		
HJ-1006		
HJ-1007		
HJ-1008		
New HJ-1009		

HARDWARES









RISINGGUITAR

MODEL	PICTURE	DRAWINGS
HJ-1010		
HJ-1011		
HJ-1012		
New HJ-1012A		
New HJ-1013		
New HJ-1014A		
New HJ-1014B		
New HJ-1014C		



MODEL	PICTURE	DRAWINGS
KB-2001		
KB-2002		
KB-2003		
KB-2004		
KB-2005		
KB-2006		
New KB-2007		
New KB-2008		









MODEL	PICTURE	DRAWINGS
New KB-2009		
New KB-2010		
New KB-2011		
New KB-2012		
New KB-3001		
New KB-3002		
New KB-3003		
New KB-3005	 License Required	




RISINGGUITAR

MODEL	PICTURE	DRAWINGS
KB-1001		
KB-1002		
KB-1003		
New KB-1003A		
KB-1004		
KB-1005		
New KB-1005A		
KB-1006		

RISINGGUITAR








MODEL	PICTURE	DRAWINGS
New KB-1007		
New KB-1008		

MODEL	PICTURE	DRAWINGS
R-1001		
R-1002		
R-1003		
R-1004		
R-1005		
R-1006		
R-1007		
R-1009		

MODEL	PICTURE	DRAWINGS
R-1010		
R-1011		
R-1012		









HARDWARES

RISINGGUITAR









MODEL	PICTURE	DRAWINGS
L-1001		
L-1002		
L-1003		
L-1004		
L-1005		
L-1006		
L-1007		
L-1008		

HARDWARES









RISINGGUITAR

MODEL	PICTURE	DRAWINGS
L-1009		
New L-1010		
New L-1011		
L-2001		
L-2002		
L-2003		
L-2004		
L-2005		

RISINGGUITAR









MODEL	PICTURE	DRAWINGS
J-1001		
J-1002		
J-1003		
J-1004		
New J-1005		
J-1006		
J-1007		
J-2001		

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
J-2002		
New J-2003		
J-2004		
New J-3001		
New J-3002		
New J-3003		
J-3004		
New J-3005		







HARDWARES

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
R-2001		
R-2002		
R-2003		
R-2004		
R-2006		
R-2007		
R-2008		
R-2010		









HARDWARES

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
R-2011		
R-2013		
R-2014		
R-2015		
R-2016		
R-2017		
New R-2018		









HARDWARES

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
E-1001		
E-1002		
E-1003		
E-1004		
E-1005		
E-1006		
E-1007		
E-1008		









HARDWARES

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
E-1009		
E-1010		
E-1011		
E-1012		
E-1013		
E-1014		
E-1015		
E-1016		







HARDWARES









RISINGGUITAR









MODEL	PICTURE	DRAWINGS
E-1017		
E-1018		
E-1019		
E-1020		
E-1021		
E-1022		
E-1023		
E-1024		

HARDWARES

RISINGGUITAR









MODEL	PICTURE	DRAWINGS
E-1025		
New E-1026		
E-1027		
E-1028		
E-1029		
New E-1030		

MODEL	PICTURE	DRAWINGS
C-1001		
C-1001-2		
C-1002		
C-1003		
C-1004		
C-1005		
C-1006		
C-1007		

MODEL	PICTURE	DRAWINGS
C-1008		
C-1009		
C-1010		
C-1011		
C-1012		
C-1013		
C-1014		
C-1015		









HARDWARES

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
C-1016		
C-1017		
C-1018		
C-1019		
C-1020		
C-1021		
C-1022		
C-1023		









HARDWARES

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
New C-1024		
New C-1025		
New C-1026		
New C-1027		
New C-1028		
New C-1029		
New C-1030		
C-1050		









HARDWARES

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
C-2001-V		
C-2001-T		
C-2002-V		
C-2002-T		
C-2003		
C-2004		
C-2005		
C-2006		









HARDWARES

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
C-2007		
C-2008		
C-2009-V		
C-2009-T		
C-2010-V		
C-2010-T		
C-2011-V		
C-2011-T		




HARDWARES

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
C-2012		
C-2014		
New C-2015		
New C-3001		
C-3002		
New C-3003		
C-3004		
C-3005		









HARDWARES

RISINGGUITAR

MODEL	PICTURE	DRAWINGS
C-3006		
C-3007		
C-3008		









HARDWARES

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
ZE-1001		Material: PPS / ABS	
ZE-1002		Material: PPS / ABS	
ZE-1003		Material: PPS / ABS	
ZE-1004		Material: PPS / ABS	
ZE-1005		Material: PPS / ABS	
ZE-1006		Material: PPS / ABS	
ZE-1007		Material: PPS / ABS	
ZE-1008		Material: PPS / ABS	








HARDWARES

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
ZE-1009		Material: PPS / ABS	
ZE-1010		Material: PPS / ABS	
ZE-1011		Material: PPS / ABS	
ZE-1012		Material: PPS / ABS	
ZE-1013		Material: PPS / ABS	
ZE-1014		Material: PPS / ABS	
ZE-1015		Material: PPS / ABS	
ZE-1016		Material: PPS / ABS	









HARDWARES

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
ZE-1017		Material: PPS / ABS	
ZE-1018		Material: PPS / ABS	
ZE-1019		Material: PPS / ABS	
ZE-1020		Material: PPS / ABS	
ZE-1021		Material: PPS / ABS	
ZE-1022		Material: PPS / ABS	
ZE-1023		Material: PPS / ABS	
ZE-1024		Material: PPS / ABS	


HARDWARES

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
ZE-1025		Material: PPS / ABS	
ZE-1026		Material: PPS / ABS	
ZE-1027		Material: PPS / ABS	
ZE-1028		Material: PPS / ABS	
ZE-1029		Material: PPS / ABS	
New ZE-1030		Material: PPS / ABS	
ZE-2001		Material: PPS / ABS	
ZE-2002		Material: PPS / ABS	




HARDWARES

RISINGGUITAR


MODEL	PICTURE	DETAILS	DRAWINGS
ZE-2013		Material: PPS / ABS	

BATTERY COMPARTMENT

RISINGGUITAR


MODEL	PICTURE	DRAWINGS
New BC-01		
New BC-02		
New BC-03		

OTHER


RISINGGUITAR			
New Y-1001		Material: Zinc	

PICKGUARD COLORS

RISINGGUITAR			
--------------	--	--	--



KD-01




KD-02




KD-04




KD-05



KD-06




KD-07




KD-09



KD-10




KD-11单层/KD-03三层



KD-12



KD-13




KD-15



KD-16




KD-17




KD-19

AVAILABLE FINISHES

RISINGGUITAR




KD-20



KD-21




KD-22




KD-25




KD-26



KD-27



KD-29



KD-30



KD-31



KD-32



KD-33



KD-34



KD-35




KD-36



KD-37

AVAILABLE FINISHES

RISINGGUITAR



KD-38



KD-39



KD-40

AVAILABLE FINISHES

RISINGGUITAR



NI
Nickel



CR
Chrome



SS
Satin Chrome



SC
Satin Nickel



BN
Black Nickel



RB
Antique Bronze



TiRaB
Titanium Rainbow



BG
Black Gold



BG
Green Bronze



GGD
True Gold



GD
Gold



TiGD
Titanium Gold

AVAILABLE FINISHES

RISINGGUITAR



BK
Black Chrome



BKS
Satin Black



BSG
Coarse Grained Black



BS
Black Paint



BSS
Satin Black Paint

Chrome Relic	Nickel Relic	Black nickel Relic	Gold Relic
 F-1008			
 E-1002			
 KB-1003			
 L-1009			

Chrome Relic

Nickel Relic

Black nickel Relic

Gold Relic




C-1012





BA-1021



BG-1001



BG-5001B



Chrome Relic

Nickel Relic

Black nickel Relic

Gold Relic



F-1010



HJ-1001



HJ-1002



KB-1001



Chrome Relic

Nickel Relic

Black nickel Relic

Gold Relic



M-7076-A



M-7076-B



MB-3201



R-2018

