









BRIDGE&TAILPIECE





RISINGGUITAR





MODEL	PICTURE	DETAILS	DRAWINGS
BG-6001		6-String String spacing: 10mm	
BG-6002		6-String String spacing: 9.8mm	
BG-6003		6-String 4-String String spacing 10mm 18mm	
BG-6004		6-String String spacing: 10mm	

BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
New BG-6004A		6-String String spacing: 10mm	
New BG-6005		6-String String spacing: 10mm	
BG-6006		6-String	
BG-6007		6-String String spacing: 10mm	

MODEL	PICTURE	DETAILS	DRAWINGS
BG-6008		6-String String spacing: 10mm	
BG-6010		Material: Steel	
BG-6011		6-String String spacing: 10mm	
New BG-6012		6-String String spacing: 10mm	

MODEL	PICTURE	DETAILS	DRAWINGS
BG-6013		6-String String spacing: 10.3mm	
New BG-6016		6-String String spacing: 10mm	
BK-9		6-String String spacing: 10mm	
BG-5001		Steel saddle 6-String String spacing: 10.5mm	

BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BG-5001B		Zinc saddle 6-String String spacing: 10.8mm	
BG-5001C		Zinc saddle 6-String String spacing: 10.8mm	
BG-5002		Zinc saddle 6-String String spacing: 10.8mm	
New BG-5002A		Zinc saddle 6-String String spacing: 10.8mm	

BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BG-5003		Zinc saddle 6-String String spacing: 10.8mm	
New BG-5004		Zinc saddle 6-String String spacing: 10.8mm	
BG-5005		6-String String spacing: 10.8mm	
New BG-5006		Zinc saddle 6-String String spacing: 10.8mm	

BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BG-2001C-A		Zinc saddle 6-String String spacing: 10.5mm	
BG-2001A-E		Zinc saddle 6-String String spacing: 10mm	
BG-2002-D		Zinc saddle 6-String String spacing: 10.5mm	
BG-2003-A		Zinc saddle 6-String String spacing: 10.5mm	

BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BG-2004		Zinc saddle 6-String String spacing: 10.5mm	
BG-2005		Zinc saddle 6-String String spacing: 10.5mm	
New BG-2006		Zinc saddle 6-String String spacing: 10.5mm	
New BG-2007		Zinc saddle 6-String String spacing: 10.8mm	

BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BG-3004		Zinc saddle 6-String String spacing: 10.4mm	
BG-3005		Zinc saddle 7-String String spacing: 10.4mm	
New BG-3004		Zinc saddle 6-String String spacing: 10.4mm	
BA-3003		Zinc saddle 8-String String spacing: 10.5mm	

BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BA-3004		Zinc saddle 7-String String spacing: 10.5mm	
BA-3005		Zinc saddle 8-String String spacing: 10.5mm	
BA-3006		Zinc saddle 7-String String spacing: 10.8mm	
BA-3007		Zinc saddle 6-String String spacing: 10.5mm	

BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BA-1001		Steel saddle 4-String String spacing: 19mm	
BA-1002		Steel saddle 4-String String spacing: 20mm	
BA-1003		Zinc saddle 4-String String spacing: 20mm	
BA-1004		Zinc saddle 4-String String spacing: 18mm	

BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BA-1005		Zinc saddle 4-String String spacing: 19mm	
BA-1006		Zinc saddle 4-String String spacing: 20mm	
New BG-6017		6-String String spacing: 11.07mm License Required	
New BG-6017		locking 6-String String spacing: 11.07mm License Required	

BRIDGE&TAILPIECE





RISINGGUITAR





MODEL	PICTURE	DETAILS	DRAWINGS
BA-1007		Steel saddle 4-String String spacing: 19mm	
BA-1008		Zinc saddle 4-String String spacing: 19mm	
BA-1009		Steel saddle 4-String String spacing: 19mm	
BA-1010		Zinc saddle 4-String String spacing: 19mm	

BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BA-1011		Zinc saddle 4-String String spacing: 19mm	
BA-1012		Zinc saddle 4-String String spacing: 19mm	
New BA-10		Steel saddle 4-String String spacing: 19mm	
BA-1014		Steel saddle 4-String String spacing: 19mm	

MODEL	PICTURE	DETAILS	DRAWINGS
BA-1015		Zinc saddle 4-String String spacing: 20mm	
BA-1016		Zinc saddle 4-String String spacing: 18mm	
BA-1017		Zinc saddle 4-String String spacing: 20mm	
New BA-1018		Zinc saddle 4-String String spacing: 19mm	

MODEL	PICTURE	DETAILS	DRAWINGS
B.		Idle	
New BA-1022		Zinc saddle 4-String String spacing: 19mm License Required	
New BA-1024		Zinc saddle 4-String String spacing: 17.5mm	
New BA-1025		Zinc saddle 4-String String spacing: 20mm	

BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BA-2001		Steel saddle 5-String String spacing: 17mm	
BA-2002		Zinc saddle 5-String String spacing: 16.5mm	
BA-2003		Zinc saddle 5-String String spacing: 17mm	
BA-2004		Steel saddle 5-String String spacing: 17mm	

BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BA-2005		Zinc saddle 5-String String spacing: 16.5mm	
BA-2006		Zinc saddle 5-String String spacing: 19mm	
BA-2007		Zinc saddle 5-String String spacing: 19mm	
New BA-2008		Zinc saddle 5-String tring spacing: 16.5mm	

BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BA-2009		Steel saddle 5-String String spacing: 16mm	
BA-2010		Zinc saddle 5-String String spacing: 15mm	
New BA-		Idle ng g: 19mm	
New BA-2012A		Zinc saddle 5-String tring spacing: 17mm	





BRIDGE&TAILPIECE

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
BA-3001		Zinc saddle 6-String String spacing: 15.6mm	
New BA-3		addle ring ig: 16.5mm	
BA-3011		Zinc saddle 4-String String spacing: 10.4mm License Required	
New BG-2008		Zinc saddle 6-String String spacing: 10.5mm	





HEADLESS BRIDGES

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
W-1001		String Spacing: 10.4mm Saddle: Zinc	
W-1002		String Spacing: 10.3mm Saddle: Zinc	
W-1003		String Spacing: 10.4mm Saddle: Zinc	
W-1004		String Spacing: 12.7mm Saddle: Zinc	





HEADLESS BRIDGES

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
W-1005		String Spacing: 10.8mm	
W-1016		String Spacing: 10.6mm Saddle: Zinc	
W-1017		String Spacing: 10.4mm Saddle: Zinc	
New W-1018		String Spacing: 10.6mm Saddle: Zinc	





HEADLESS BRIDGES

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
New W-1019		String Spacing: 10.6mm Saddle: Zinc	
W-2004		String Spacing: 10.6mm Saddle: Zinc	
New W-2005		10.6mm 1C	
New W-3001		String Spacing: 10.5mm Saddle: Zinc	







HEADLESS BRIDGES

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
New W-3002		String Spacing: 10.5mm Saddle: Zinc	
WB-1001		String Spacing: 20mm Saddle: Zinc	
WB-1004		String Spacing: 20mm Saddle: Zinc	
WB-1005		String Spacing: 16.1mm Saddle: Zinc	

PICKUPS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
P-1001		7.1K ohm 2.0H Ceramic gloss / satin	
P-1003		7.1K ohm 2.0H Ceramic gloss / satin	
P-1004		6.5K ohm 3.0H Ceramic gloss / satin	
P-1005		6.5K ohm 3.0H Ceramic gloss / satin	
P-1006		6.5K ohm 3.0H Ceramic gloss / satin	
P-1007		6.45K ohm 2.4H Ceramic satin	

CUSTOMIZE OPTIONS

Wire Gauge options: AWG 41-44







Wire Coating options: Plain Enamel (PE) Polyurethane (P) Polyurethane Nylon (PN) Formvar (F)

Winding Turns options: Customizable.

Megnets options: Ceramic or Alnico II, III, V

PICKUPS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
P-1008		6.1K ohm 3.6H Ceramic gloss	
P-1009		8.71K ohm 5.98H Ceramic gloss	
P-1011		9.6K ohm 5.13H Ceramic satin	
P-1012		13.28K ohm 5.7H Ceramic satin	
P-1013		5.7K ohm 3.56H Ceramic satin	
P-1015		7.32K ohm 2.49H ALNICO gloss	

CUSTOMIZE OPTIONS

Wire Gauge options: AWG 41-44








Wire Coating options: Plain Enamel (PE) Polyurethane (P) Polyurethane Nylon (PN) Formvar (F)

Winding Turns options: Customizable.

Megnets options: Ceramic or Alnico II, III, V

PICKUPS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
P-1016		6.73K ohm 5.6H ALNICO gloss	
P-1017		6.85K ohm 3.32H ALNICO matte	
P-1018		3.77K ohm 1.75H Ceramic satin	
P-1019		4.7K ohm 1.15H Ceramic gloss	
New P-1020		9.6K ohm 5.13H Ceramic gloss	
New P-1021		6K ohm 3.2H Ceramic gloss	
P-KD10		4.4K ohm 1.1H ALNICO 2,3,5 satin	

CUSTOMIZE OPTIONS

Wire Gauge options: AWG 41-44








Wire Coating options: Plain Enamel (PE) Polyurethane (P) Polyurethane Nylon (PN) Formvar (F)

Winding Turns options: Customizable.

Megnets options: Ceramic or Alnico II, III, V

PICKUPS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
P-2001		9.2K ohm 4.3H Ceramic gloss / matte / satin	
P-2002		9.2K ohm 4.3H Ceramic gloss / matte / satin	
P-2003		9.2K ohm 4.3H Ceramic gloss / matte / satin	
P-2004		9.2K ohm 4.3H Ceramic gloss / matte / satin	
P-2005		9.2K ohm 4.3H Ceramic gloss / matte / satin	
P-2006		9.2K ohm 4.3H Ceramic gloss / matte / satin	
P-2009		14.45K ohm 5.31H Ceramic satin	

CUSTOMIZE OPTIONS

Wire Gauge options: AWG 41-44








Wire Coating options: Plain Enamel (PE) Polyurethane (P) Polyurethane Nylon (PN) Formvar (F)

Winding Turns options: Customizable.

Megnets options: Ceramic or Alnico II, III, V

PICKUPS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
P-2010		17K ohm 8.03H Ceramic gloss / matte / satin slot magnet rod or flat magnet rod	
P-2011		17.5K ohm 8.38H Ceramic gloss / matte / satin slot magnet rod or flat magnet rod	
P-2012		9.0K ohm 5.14H Ceramic gloss / matte / satin	
P-2013		14K ohm 7.21H Ceramic gloss / matte / satin	
P-KD20		6.68K ohm 0.85H ALNICO 2,3,5 satin	
P-3001		9.2K ohm 4.3H Ceramic satin	
P-3002		8.5K ohm 3.5H Ceramic gloss / matte	

CUSTOMIZE OPTIONS

Wire Gauge options: AWG 41-44








Wire Coating options: Plain Enamel (PE) Polyurethane (P) Polyurethane Nylon (PN) Formvar (F)

Winding Turns options: Customizable.

Megnets options: Ceramic or Alnico II, III, V

PICKUPS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
P-3003		10.2K ohm 3.3H Ceramic gloss / matte	
P-3004		10.2K ohm 3.3H Ceramic gloss / matte	
P-3005		9.1K ohm 3.1H Ceramic gloss / matte	
P-3006		14.19K ohm 6.5H Ceramic gloss / matte	
P-3007		14.19K ohm 6.5H Ceramic gloss / matte	
New P-3009		6.85K ohm 3.32H Ceramic gloss / matte	
New P-3010B	 License Required	7.5K ohm 3.7H Ceramic gloss / matte	

CUSTOMIZE OPTIONS

Wire Gauge options: AWG 41-44








Wire Coating options: Plain Enamel (PE) Polyurethane (P) Polyurethane Nylon (PN) Formvar (F)

Winding Turns options: Customizable.

Megnets options: Ceramic or Alnico II, III, V

PICKUPS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
New P-3010N	 License Required	5.5K ohm 2.6H Ceramic gloss / matte	
New P-KD30		6.49K ohm 3.0H ALNICO 2,3,5 satin	
New P-KD40		14K ohm 7.21H ALNICO 2,3,5 satin	
PB-1001		8.47K ohm 3.9H Ceramic satin	
PB-1002		8.47K ohm 3.9H Ceramic satin	
PB-1003		8.47K ohm 3.9H Ceramic satin	
PB-1004		9.80K ohm 3.9H Ceramic satin	

CUSTOMIZE OPTIONS

Wire Gauge options: AWG 41-44








Wire Coating options: Plain Enamel (PE) Polyurethane (P) Polyurethane Nylon (PN) Formvar (F)

Winding Turns options: Customizable.

Megnets options: Ceramic or Alnico II, III, V

PICKUPS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
PB-2001		6.24K ohm 4.46H ALNICO 2,3,5 satin	
PB-2002		6.24K ohm 4.46H Ceramic satin	
PB-2003		8.9K ohm 4.8H Ceramic satin	
PB-2004		8.9K ohm 4.8H Ceramic satin	
PK-3001		9.5K ohm 1.56H Ceramic satin	
PK-3002		9.1K ohm 1.61H Ceramic satin	
PK-3003		7.6K ohm 1.31H Ceramic satin	

CUSTOMIZE OPTIONS

Wire Gauge options: AWG 41-44








Wire Coating options: Plain Enamel (PE) Polyurethane (P) Polyurethane Nylon (PN) Formvar (F)

Winding Turns options: Customizable.

Megnets options: Ceramic or Alnico II, III, V

PICKUPS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
PK-3004		7.9K ohm 1.2H Ceramic satin	
PK-5001		7.8K ohm 3.5H Ceramic satin	
PK-5002		7.8K ohm 3.5H Ceramic satin	
PK-5003		9.03K ohm 3.8H Ceramic satin	
PK-5004		9.03K ohm 3.8H Ceramic satin	
PK-5005		9.8K ohm 4.2H Ceramic satin	
PK-5006		9.8K ohm 4.2H Ceramic satin	

CUSTOMIZE OPTIONS

Wire Gauge options: AWG 41-44







Wire Coating options: Plain Enamel (PE) Polyurethane (P) Polyurethane Nylon (PN) Formvar (F)

Winding Turns options: Customizable.

Megnets options: Ceramic or Alnico II, III, V

PICKUPS

RISINGGUITAR

MODEL	PICTURE	DETAILS	DRAWINGS
PK-5007		14K ohm 6.45H Ceramic satin	
PK-5008		14K ohm 6.45H Ceramic satin	
PK-5009		12K ohm 7H Ceramic satin	
PK-5010		1.93K ohm 1.14H Ceramic satin	
GT-10		For Acoustic Guitars	
GT-20		For Acoustic Guitars	









CUSTOMIZE OPTIONS



Wire Gauge options: AWG 41-44

Wire Coating options: Plain Enamel (PE) Polyurethane (P) Polyurethane Nylon (PN) Formvar (F)

Winding Turns options: Customizable.

Megnets options: Ceramic or Alnico II, III, V

MODEL	PICTURE	DETAILS	DRAWINGS
QT-1001		A250K, B250K, A500K, B500K	
QT-1002		A250K, B250K, A500K, B500K A25K, C250K, C500K, B25K	
QT-1003		A250K, B250K, A500K, B500K A1000K, A100K, A25K, A50K B100K, B25K, B50K, C500K	
QT-1004		A250K, B250K, A500K, B500K Shaft Length: 15mm 18mm 20mm	
QT-1005		A250K, B250K, A500K, B500K Shaft Length: 15mm 18mm	
QT-1008		A10K, A250K, B250K, A500K, B500K	
QT-1016		A500K, B500K	
QT-1018		A25K, B25K, A500K, B500K	

MODEL	PICTURE	DETAILS	DRAWINGS
QT-2002		A250K, B250K, A500K, B500K	
QT-2003		A250K, B250K, A500K, B500K	
QT-2004		A250K, B250K, A500K, B500K	